



LA GARD

COMBOGARD PRO[®]

Programmable Electronic Combination Lock

Designed for new or replacement applications the LA GARD ComboGard Pro Electronic Safe Lock, featuring 39 E firmware, allows for lock programming at either the keypad or via the PC with ComboGard Pro Software.

Features and Benefits

Uploadable Programming

Certain data can be defined at the PC using ComboGard Pro Setup Software and then uploaded to the lock via serial interface connection.

Audit Trail

Utilizing LG View Software, the last 63 events are captured by displaying User ID and action in sequential order.

Users

One Manager and nine Access Users.

Dual Mode

Optionally programmed mode that requires two valid user combinations to open the lock.

Time Delay/Time Delay Override

Optionally programmed 1-99 minute time delay deters potential intruders.

Wrong Try Penalty

Four consecutive invalid codes initiates five minute delay period.

3750-K Entry

- For use with dual-handed swingbolt, deadbolt, springbolt or redundant mechanical style locks
- Outside battery compartment (under keypad)
- Operated by one user-supplied 9V alkaline battery

Silent Signal Alarm (Optional Alarm Box Required)


Optionally programmed mode sends signal to external alarm system. Lock opens without any indication that duress signal has been sent.

Signal to Disable Lock Opening/Signal to Disable Lock Programming


Input signals that use a valid code to either disable the opening of a lock or disable all lock functions.




3750-K



4300 Swingbolt



6040 Deadbolt



2441 Redundant Mechanical
(dials sold separately)

	COMBOGARD PRO	vs	COMBOGARD
Firmware	39E		33E
Code ID	2U		∅
Number of Users	10 - Manager/9 Users		2 - Manager/User
Time Delay	YES 1-99 min delay 1-19 min opening		YES 1-99 min delay 1-19 min opening
Time Delay Override	YES		YES
Uploadable Programming	YES (w/ ComboGard Pro Software)		NO
Audits	YES - 63 events w/ LG View		NO
Combination Length	4 - 9		6
Key Pad Functions	Set up lock, set combination length, change combination, add/delete user, check user status, change time delay values, receive audit		Change combination, add/delete user

COMBOGARD PRO Software

The Windows™ based COMBOGARD PRO setup software has a user-friendly interface, which will allow you to configure the lock and upload the information directly from the PC to the lock. The software feature include: variable code lengths, user activation with or without codes, lock mode selection, external signal modes (used with the 2789 and 4002 alarm boxes) and setting time delay values.

Also included with the COMBOGARD PRO setup software is the LG View 3X audit software. The LG View 3X provides a record of the last 63 lock events.

PC programming and lock audits require 43087 serial interface with is included in the 70114 Implementation Kit.





The Kaba Safe Lock Division relies on product innovation to meet our markets' ever-changing needs for loss prevention and access control solutions.

The Kaba and LA GARD brands are synonymous worldwide with security, control and accountability.

Kaba AG | Kaba Mas | Kaba Mauer GmbH

Kaba Mas LLC

749 W. Short St.

Lexington, KY 40508

phone 859-253-4744

toll-free 877-KabaMas (522-2627)

fax 859-255-2655

web www.kaba-mas.com

COMBOGARDPRO.R308.2K